



K O B B E

D O O R T O D E S I G N

K O B B E C O L L E C T I O N 2 0 2 5

C O N T E M P O R A R Y B E S P O K E A L U M I N I U M F R O N T D O O R S

K O B B E

MODERN DESIGN & AESTHETIC APPEARANCE

Immerse yourself in the captivating realm of KOBBE, where the innovation of modern aluminum doors is both crafted for and inspired by discerning customers. Welcome to a world where elegance meets functionality. KOBBE front doors are crafted with meticulous precision, where attention to every single detail is paramount! The cutting-edge technologies employed in crafting KOBBE front doors seamlessly integrate with modern smart home systems, ensuring perfect harmony and enhanced functionality.

KOBBE front doors present a contemporary design, complemented by an extensive palette of colours and a diverse array of features, tailored to meet various aesthetic and functional preferences. Each configuration bestows our front door with an aesthetic and timeless design.



Made To Measure



Wide Range of Finishes



PAS24 Security



Personalized Design


C O N T E N T S

DEFAULT EQUIPMENT	4-5
ALU DESIGN COLLECTION	6-35
ALU XGLASS COLLECTION	36-39
ALU SLAT COLLECTION	40-43
ALU CLASSIC COLLECTION	44-49
GLAZING AND SIDELIGHTS	50-51
FINISHES	52-53
HANDLES	54-62
LOCKING SYSTEMS	63
ACCES CONTROL	64-65
HINGES	66



DEFAULT EQUIPMENT

KOBBE PREMIUM



1 frame	High-quality thermally broken aluminium frame, flush on both sides
2 lock	Winkhaus 3-point hook lock
3 hinges	High-quality roller hinges, powder coated, colour matched
4 cylinder	Euro Cylinder, 5 keys
5 rosette	Anti-burglary stainless steel escutcheon
6 finish	Powder coated fine-structure matt finish
7 glass	Triple or Quadruple glazed, laminated safety-glass





CROSS-SECTION

KOBBE PREMIUM

1	Durable, weather-resistant powder-coated aluminium sheet
2	Filling: modern XPS board – ensuring excellent thermal insulation, high durability, and resistance to moisture and corrosion.
3	Durable, weather-resistant powder-coated aluminium sheet
4	EPDM seals – providing resistance to changing weather conditions, including extreme temperatures, as well as aging, UV radiation, and moisture.
5	Multi-chamber thermally broken aluminium frame ensuring high thermal performance and minimizing the thermal bridging effect.
6	Thermally broken low threshold, enhancing comfort and safety.
7	Additional closing gasket providing thermal and acoustic insulation
8	Laminated safety glass, triple-glazed with black spacer
9	Laminated safety glass, quadruple-glazed with black spacer

KOBBE PREMIUM 75

U-value	0.95 W/(m²K)
Door Leaf	75mm
Frame	75mm
Glazing	Triple glazed
Security	PAS24



KOBBE PREMIUM 90

U-value	0.80 W/(m²K)
Door Leaf	90mm
Frame	90mm
Glazing	Quadruple Glazed
Security	PAS24



Collection Alu Design

The ALU DESIGN line of entrance doors uniquely characterizes your home's exterior and interior, reflecting its distinctive individuality.

The ALU DESIGN collection offers the opportunity to infuse your home with an original, contemporary, and distinctive style.

An impeccable blend of elegance, style, security, and longevity.

Endless finishing and design possibilities

A broad spectrum of colours

Customizable milling patterns

A diverse array of glass types





KB 100

Colour **DB 703**
Pull handle **QA35 200cm**



KB 110

Colour **RAL 3004**
Pull handle **Q35 120cm**



KB 120

Colour **RAL 5003**
Pull handle **Q35 160cm**



KB 130

Colour **RAL 7012**
Pull handle **QA35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 140

Colour **RAL 6005**
Pull handle **QA35 160cm**



KB 160

Colour **C 33 Anode**
Pull handle **Q35 120cm**



KB 200

Colour **RAL 7016**
Pull handle **QA35 200cm**



KB 210

Colour **Golden Oak/RAL 9005**
Pull handle **QA35 200 cm**



KB 270

Colour **RAL 7016**
Pull handle **Q35 160cm**



KB 290

Colour **RAL 7006**
Pull handle **QA35 200cm**



KB 300

Colour **RAL 9005**
Pull handle **P10 120cm**



KB 320

Colour **RAL 6009**
Pull handle **PA10 160cm**

The image shows a door with dimensions of 1100 x 2100



KB 340

Colour **DB 703**
Pull handle **QA35 160cm**



KB 530

Colour **RAL 5011**
Pull handle **Q35 200cm**



KB 600

Colour **RAL 3004**
Pull handle **QA35 160cm**



KB 640

Colour **C 34 Anode**
Pull handle **QA35 200cm Anode**



KB 650

Colour **RAL 3004**
Pull handle **Q35 160cm**



KB 660

Colour **RAL 7022**
Pull handle **P10 160cm**



KB 670

Colour **RAL 5003**
Pull handle **QA35 200cm**



KB 1100

Colour **RAL 6005**
Pull handle **QA35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 1110

Colour **DB 703**
Pull handle **Q35 160cm**



KB 1120

Colour **C 34 Anode**
Pull handle **QA35 200cm Anode**



KB 1130

Colour **RAL 5011**
Pull handle **Q35 160cm**



KB 1140

Colour **RAL 7012**
Pull handle **P10 120cm**



KB 1150

Colour **RAL 9007**
Pull handle **QA35 160cm**



KB 1160

Colour **RAL 5011**
Pull handle **QA35 200cm**



KB 1170

Colour **DB 703**
Pull handle **Q35 200cm**



KB 1180

Colour **Dark Concrete/RAL 9005**
Pull handle **QA35 160cm**

The image shows a door with dimensions of 1100 x 2100



KB 1190

Colour **RAL 7016**
Pull handle **Q35 160cm**



KB 1200

Colour **RAL 7001/RAL 9005**
Pull handle **QA35 160cm**



KB 1210

Colour **RAL 3004**
Pull handle **Q35 160cm**



KB 1220

Colour **DB 703**
Pull handle **Q35 200cm**



KB 1230

Colour **Golden Cherry/DB 703**
Pull handle **QA35 120cm**



KB 1240

Colour **Golden Oak/RAL 9005**
Pull handle **QA35 200cm**



KB 1250

Colour **Golden Cherry/DB 703**
Pull handle **Q35 120cm**



KB 1260

Colour **Bleached Beech/RAL 7016**
Pull handle **Q35 200cm**

The image shows a door with dimensions of 1100 x 2100





KB M01

Colour **DB 703**
Pull handle **P10 160cm**



KB M04

Colour **RAL 7006**
Pull handle **QA35 120cm**



KB M08

Colour **RAL 7012**
Pull handle **QA35 160cm**



KB M09

Colour **RAL 6005**
Pull handle **P10 120cm**

The image shows a door with dimensions of 1100 x 2100



KB M11

Colour **RAL 5003**
Pull handle **QA35 160cm**



KB M14

Colour **Winchester/RAL 9005**
Pull handle **QA35 200cm**



KB M210

Colour **RAL 3004**
Pull handle **P10 120cm**



KB M211

Colour **RAL 7016**
Pull handle **Q35 160cm**



KB 150

Colour **DB 703**
Pull handle **Q35 160cm**



KB 170

Colour **RAL 5003**
Pull handle **QA35 200cm**



KB 180

Colour **RAL 7001/RAL 9005**
Pull handle **QA35 160cm**



KB 190

Colour **RAL 9005**
Pull handle **C40 200cm with LED**

The image shows a door with dimensions of 1100 x 2100



KB 220

Colour **RAL 7016**
Pull handle **Q35 120cm**



KB 230

Colour **RAL 6005**
Pull handle **Q35 160cm**



KB 240

Colour **RAL 7006**
Pull handle **P10 120cm**



KB 250

Colour **RAL 5011**
Pull handle **Q35 160cm**



KB 260

Colour **RAL 7016**
Pull handle **Q35 120cm**



KB 280

Colour **RAL 3004/RAL 9005**
Pull handle **C40 200cm with LED**



KB 310

Colour **RAL 9005**
Pull handle **Q35 160cm**



KB 330

Colour **RAL 7001**
Pull handle **QA35 200cm**

The image shows a door with dimensions of 1100 x 2100



KB 350

Colour **DB 703**
Pull handle **P10 160cm**



KB 360

Colour **RAL 5003**
Pull handle **Q35 160cm**



KB 370

Colour **RAL 6005**
Pull handle **P10 120cm**



KB 380

Colour **RAL 7006**
Pull handle **QA35 160cm**



KB 390

Colour **RAL 3004**
Pull handle **QA35 160cm**



KB 400

Colour **DB 703**
Pull handle **QA35 200cm**



KB 410

Colour **RAL 7022**
Pull handle **QA35 160cm**



KB 420

Colour **RAL 9007**
Pull handle **PA10 160cm**

The image shows a door with dimensions of 1100 x 2100



KB 430

Colour **Siena PL/RAL 9005**
Pull handle **QA35 160cm**



KB 440

Colour **RAL 7016**
Pull handle **P10 120cm**



KB 450

Colour **RAL 9005**
Pull handle **Q35 160cm**



KB 460

Colour **RAL 3004**
Pull handle **Q35 120cm**



KB 470

Colour **RAL 5003**
Pull handle **C40 200cm with LED**



KB 480

Colour **RAL 7016**
Pull handle **QA35 160cm**



KB 490

Colour **Walnut/RAL 9005**
Pull handle **Q35 160cm**



KB 500

Colour **C 34 Anode**
Pull handle **Q35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 510

Colour **RAL 7001**
Pull handle **P10 120cm**



KB 520

Colour **RAL 5011**
Pull handle **Q35 120cm**



KB 540

Colour **DB 703**
Pull handle **CA40 200cm with LED**



KB 560

Colour **RAL 6005**
Pull handle **Q35 120cm**



KB 570

Colour **RAL 3004**
Pull handle **CA40 200cm with LED**



KB 580

Colour **DB 703**
Pull handle **Q35 160cm**



KB 590

Colour **C 33 Anode**
Pull handle **QA35 200cm Anode**



KB 610

Colour **RAL 5011**
Pull handle **Q35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 620

Colour **RAL 9005**
Pull handle **P10 160cm**



KB 630

Colour **RAL 7006**
Pull handle **Q35 160cm**



KB 1400

Colour **RAL 9016**
Pull handle **P10 100cm**



KB 1410

Colour **Siena PL/DB 703**
Pull handle **P10 120cm**



KB 1420

Colour **DB 703**
Pull handle **QA35 120cm**



KB 1430

Colour **RAL 5003**
Pull handle **QA35 160cm**



KB 1440

Colour **RAL 7012**
Pull handle **QA35 120cm**



KB 1450

Colour **RAL 3004**
Pull handle **QA35 200cm**

The image shows a door with dimensions of 1100 x 2100



KB 1460

Colour **RAL 7016**
Pull handle **P10 160cm**



KB 1470

Colour **C 33 Anode**
Pull handle **QA35 160cm**



KB 1480

Colour **RAL 6005**
Pull handle **QA35 120cm**



KB 1490

Colour **C 33 Anode**
Pull handle **QA35 200cm**



KB 1500

Colour **RAL 5011**
Pull handle **PA10 160cm**



KB 1510

Colour **DB 703**
Pull handle **Q35 200cm**



KB 1520

Colour **RAL 3004**
Pull handle **QA35 120cm**



KB 1530

Colour **RAL 9005**
Pull handle **Q35 200cm**

The image shows a door with dimensions of 1100 x 2100



KB 1540

Colour **RAL 6009**
Pull handle **PA10 160cm**



KB 1550

Colour **C 33 Anode**
Pull handle **P10 160cm**



KB 1560

Colour **RAL 3099**
Pull handle **Q35 160cm**



KB 1570

Colour **RAL 5003**
Pull handle **P10 160cm**



KB 1580

Colour **DB 703**
Pull handle **Q35 160cm**



KB 1590

Colour **Turner Oak/RAL 9005**
Pull handle **QA35 200cm**



KB 1600


Colour **DB 703**
Pull handle **Q35 200cm**



KB 1610

Colour **RAL 6005**
Pull handle **Q35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 1620

Colour **Light Concrete/RAL 9005**
Pull handle **CA40 200cm with LED**



KB 1630

Colour **RAL 3004**
Pull handle **Q35 160cm**



KB 1640

Colour **RAL 7016**
Pull handle **QA35 160cm**



KB 1650

Colour **Dark Concrete/RAL 9005**
Pull handle **CA40 200cm with LED**



Collection Alu Xglass

Combination of aluminum and glass. A technologically advanced solution with an incredible aesthetic appearance.

The fusion of a glossy glass surface with aluminum lends a distinctive character to the door.

The aluminium part can be made in any RAL colour. The glass is available in black.

A modern fusion of glass and aluminum in an elegant form

Deep black glass adds a luxurious touch.

Aluminum surface available in any RAL colour

A striking appearance that catches the eye and adds a unique touch of style





KB 1000

Colour **RAL 7016/RAL 9005**
Pull handle **Livello**



KB 1010

Colour **RAL 7016/RAL 9005**
Pull handle **P10 160cm**



KB 1020

Colour **RAL 7016/RAL 9005**
Pull handle **P10 120cm**



KB 1030

Colour **RAL 7016/RAL 9005**
Pull handle **Q90 P 40x20**

The image shows a door with dimensions of 1100 x 2100



KB 1040

Colour **RAL 7016/RAL 9005**
Pull handle **P10 100cm**



KB 1050

Colour **RAL 7016/RAL 9005**
Pull handle **P10 100cm**





Collection Alu Slat

Entrance doors with decorative slats bring a modern yet sophisticated touch to any space.

Designed for contemporary interiors and exteriors, they offer a perfect balance between innovation and timeless elegance. Precision craftsmanship, high-quality materials, and advanced finishing techniques ensure long-lasting durability, functionality, and style.


With their clean lines and architectural appeal, these doors seamlessly complement the latest design trends, making them an ideal choice for modern homes and commercial spaces.

Sophisticated design featuring vertical slats

A striking visual effect

Exceptional resistance to weather conditions and damage

An ideal choice for modern facades





KB 1800

Colour **Turner Oak/RAL 9005**
Pull handle **Q35 200cm**



KB 1810

Colour **Turner Oak/RAL 9005**
Pull handle **PA10 160cm**



KB 1820

Colour **Bleached Beech/DB 703**
Pull handle **Q35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 1830

Colour **Siena PL/DB 703**
Pull handle **QA35 200cm**



KB 1840

Colour **RAL 7006/RAL 9005**
Pull handle **QA35 160cm**



KB 1850

Colour **Bleached Beech/RAL 9005**
Pull handle **QA35 200cm**



Collection Alu Classic

Blending tradition, sophistication, and comfort, this unique collection seamlessly integrates classic aesthetics with modern innovations, resulting in doors with unparalleled character.

Drawing inspiration from the grandeur of the Victorian era and the charm of countryside living, these models feature refined, traditional forms that harmonize beautifully with both classic and contemporary interiors.

Alu Classic is the perfect choice for those who seek enduring style—one that transcends trends and remains effortlessly elegant for years to come.

Timeless elegance.

A perfect harmony of tradition and modern solutions

Refined in every detail

A distinctive addition to your home





KB 1900

Colour **RAL 9005**
Knob **Polished Brass**



KB 1910

Colour **RAL 6005**
Pull handle **Classic 28cm**



KB 1920

Colour **RAL 7022**
Knob **Satin Stainless Steel**



KB 1930

Colour **RAL 9005**
Pull handle **Classic 28cm**

The image shows a door with dimensions of 1100 x 2100



KB 1940

Colour **RAL 7016**
Pull handle **Classic 28cm**



KB 1950

Colour **RAL 3004**
Pull handle **Classic 28cm**



KB 1960

Colour **RAL 9005**
Knob **Polished Brass**



KB 1970

Colour **RAL 5003**
Knob **Polished Brass**



KB 1980

Colour **RAL 5011**
Handle **Round Inox**



KB 1990

Colour **RAL 7001**
Handle **Round Inox**



KB 2000

Colour **RAL 7016**
Knob **Satin Stainless Steel**



KB 2010

Colour **DB 703**
Pull handle **Classic 28cm**

The image shows a door with dimensions of 1100 x 2100



GLAZING OPTIONS

Glass in doors is more than just functional—it is a decorative element that enhances the style and character of any entrance. We offer a wide selection of glazing options for both door panels and sidelights, allowing you to create a truly unique composition.


Our laminated safety glass, available in various designs and finishes, ensures durability, elegance, and everyday comfort.



TRANSPARENT



SATIN



SANDBLASTED WITH
CUSTOM PATTERN



SANDBLASTED WITH
TRANSPARENT STRIPES



STOPSOL GREY



STOPSOL BROWN



ANTISOL GREY



ANTISOL BROWN



PLANIBEL DARK GREY



ONE-WAY MIRROR*

* Minor scratches that may appear on the surface of one-way mirrors, as well as potential long-term degradation of the mirrored coating, are inherent characteristics of this type of glass. These imperfections are not subject to warranty claims.

Layout Variants



SIDELIGHTS AND TOPLIGHTS

Sidelights and toplights maximise natural light, brightening the interior while enhancing the contemporary aesthetic of the door. As standard, they are fitted with a triple-glazed unit featuring laminated safety glass, combining elegance with enhanced security.

Available in widths from 300 to 1350 mm (sidelights) and heights from 300 to 1000 mm (toplights), they offer tailored solutions to meet individual requirements.



They can be either fully integrated with the door frame or supplied as a separate element, ensuring a seamless and refined appearance.



WOOD-EFFECT / CONCRETE-EFFECT FINISHES



P U L L H A N D L E S






W10LED

W10.180 LED –
Handle recess with
LED backlight

Handle Recess, W10

Available in any colour from the RAL palette
(see p. 52), optional LED backlight.





P10

Ø 30mm, Ø 40mm**, Inox

Length	Code	LED lighting*
600 mm	P10.60	2 pcs. LED
800 mm	P10.80	3 pcs. LED
1000 mm	P10.100	4 pcs. LED
1200 mm	P10.120	5 pcs. LED
1400 mm	P10.140	6 pcs. LED
1600 mm	P10.160	7 pcs. LED
1800 mm	P10.180**	8 pcs. LED
2000 mm	P10.200**	9 pcs. LED



LED
Light



ekey
dLine



Microswitch

PA10

Ø 30mm, Ø40 mm**, aluminium, Black

Length	Code	LED lighting*
600 mm	PA10.60	2 pcs. LED
800 mm	PA10.80	3 pcs. LED
1000 mm	PA10.100	4 pcs. LED
1200 mm	PA10.120	5 pcs. LED
1400 mm	PA10.140	6 pcs. LED
1600 mm	PA10.160	7 pcs. LED
1800 mm	PA10.180**	8 pcs. LED
2000 mm	PA10.200**	9 pcs. LED



LED
Light



Microswitch

* A cable conduit (KB 1.96) is required for the LED lighting (see p. 66).

Q10

40 x 20 mm, Inox

Length	Code	LED lighting*
600 mm	Q10.60	2 pcs. LED
800 mm	Q10.80	3 pcs. LED
1000 mm	Q10.100	4 pcs. LED
1200 mm	Q10.120	5 pcs. LED
1400 mm	Q10.140	6 pcs. LED
1600 mm	Q10.160	7 pcs. LED
1800 mm	Q10.180	8 pcs. LED
2000 mm	Q10.200	9 pcs. LED



LED
Light



ekey
dLine



Microswitch

QA10

40 x 20 mm, aluminium, Black

Length	Code	LED lighting*
600 mm	QA10.60	2 pcs. LED
800 mm	QA10.80	3 pcs. LED
1000 mm	QA10.100	4 pcs. LED
1200 mm	QA10.120	5 pcs. LED
1400 mm	QA10.140	6 pcs. LED
1600 mm	QA10.160	7 pcs. LED
1800 mm	QA10.180	8 pcs. LED
2000 mm	QA10.200	9 pcs. LED



LED
Light



ekey
dLine



Microswitch

QA10

Q10

* A cable conduit (KB 1.96) is required for the LED lighting (see p. 66).

QA90

Q90

Q90

40 x 40 mm, Inox

Length	Code	LED lighting*
600 mm	Q90.60	2 pcs. LED
800 mm	Q90.80	3 pcs. LED
1000 mm	Q90.100	4 pcs. LED
1200 mm	Q90.120	5 pcs. LED
1400 mm	Q90.140	6 pcs. LED
1600 mm	Q90.160	7 pcs. LED
1800 mm	Q90.180	8 pcs. LED
2000 mm	Q90.200	9 pcs. LED



LED
Light



ekey
dLine



Microswitch

QA90

40 x 40 mm, aluminium, Black

Length	Code	LED lighting*
600 mm	QA90.60	2 pcs. LED
800 mm	QA90.80	3 pcs. LED
1000 mm	QA90.100	4 pcs. LED
1200 mm	QA90.120	5 pcs. LED
1400 mm	QA90.140	6 pcs. LED
1600 mm	QA90.160	7 pcs. LED
1800 mm	QA90.180	8 pcs. LED
2000 mm	QA90.200	9 pcs. LED



LED
Light



ekey
dLine



Microswitch

* A cable conduit (KB 1.96) is required for the LED lighting (see p. 66).

Q35

35 x 35 mm, Inox

Length	Code	LED lighting*
1200 mm	Q35.120	LED-Strip
1400 mm	Q35.140	LED-Strip
1600 mm	Q35.160	LED-Strip
1800 mm	Q35.180	LED-Strip



LED
Light



ekey
dLine



Microswitch

QA35

35 x 35 mm, Black

Length	Code	LED lighting*
1200 mm	QA35.120	LED-Strip
1400 mm	QA35.140	LED-Strip
1600 mm	QA35.160	LED-Strip
1800 mm	QA35.180	LED-Strip



LED
Light



ekey
dLine



Microswitch

* A cable conduit (KB 1.96) is required for the LED lighting (see p. 66).

QA35

Q35

C 40

40 x 40 mm, Inox**

Length	Code	LED lighting*
1600 mm	C40.160	LED strip
1800 mm	C40.180	LED strip
2000 mm	C40.200	LED strip
2200 mm	C40.220	LED strip



LED
Light



ekey
dLine



Microswitch

CA 40

CA 40

40 x 40 mm, Inox Black

Length	Code	LED lighting*
1600 mm	CA40.160	LED strip
1800 mm	CA40.180	LED strip
2000 mm	CA40.200	LED strip
2200 mm	CA40.220	LED strip



LED
Light



ekey
dLine



Microswitch

* A cable conduit (KB 1.96) is required for the LED lighting (see p. 66).

** LED strip, cool white light.

C 40



Q90 P 40 x 20 mm, Horizontal, Inox

QA90 P 40 x 20 mm, Horizontal, aluminium, Black

Length	Code	LED backlight*
800 mm	Q90.80 Horizontal	3 pkt. LED
800 mm	QA90.80 Horizontal	3 pkt. LED



LED
Light



Microswitch

* Exclusively for the KB1030 variant



LIVELLO 350 x 60 mm, Horizontal, Inox * Exclusively for the KB1000 variant

Length	Code.
350 mm	LIVELLO (350 x 60 mm)

CLASSIC



Pull handle Classic 280mm
stainless steel



Centre Knob
stainless steel | brass | polished | satin

Handles

Code	Description	Colours
KB 1.60	Lever handle H1	Inox Black
KB 1.61	Lever handle H2	Inox Black Anthracite Satin Copper Satin Gold Gold PVD
KB 1.62	Lever handle H3	Inox Black Anthracite Satin Copper Satin Gold Gold PVD
KB 1.63	Lever handle H4	Inox Black
KB 1.64	Lever handle H5	Inox Black





KB 1.60 Lever handle H1



KB 1.61 Lever handle H2



KB 1.62 Lever handle H3



KB 1.63 Lever handle H4



KB 1.64 Lever handle H5



KB 1.60 Lever handle H1, Black



KB 1.61 Lever handle H2, Black



KB 1.62 Lever handle H3, Black



KB 1.63 Lever handle H4, Black



KB 1.64 Lever handle H5, Black



Lever handle H2/H3, Anthracite



Lever handle H2/H3, Satin Copper




Lever handle H2/H3, Satin Gold



Lever handle H2/H3, Gold PVD

Locking Systems


- 1 Winkhaus 3-point hook lock
- 2 Winkhaus 5-point hook lock
- 3 GU 3-point slam-shut lock
- 4 GU 3-point slam-shut motorized lock(for external integration)
- 5 GU 3-point slam-shut motorized lock + ekey dLine fingerscanner
- 6 GU 3-point slam-shut motorized lock + SOREX UniLock Keypad
- 7 Optional: Electric strike with day/night function




7 Electric strike
with day/night function




KB 3.10 ekey dLine mounted in the door leaf, Inox
It can be easily managed through the ekey bionyx app, allowing for straightforward control of the door's security features.



KB 3.10 ekey dLine Inox | Black



Access control



KB 3.12 ekey Integra keyboard
Inox | Anthracite | White

KB 3.22 Activate/Deactivate Button
Inox | Black

KB 3.11 ekey dLine
Pull handle series P, Inox

KB 3.11 ekey dLine
Pull handle series Q, Black

KB 3.11 ekey dLine
Pull handle series Q, Inox



Code	Description
KB 3.10*	Fingerscanner ekey dLine in door leaf, Inox Black
KB 3.11*	Fingerscanner ekey dLine in pull handle, Inox Black
KB 3.12*	Keypad ekey Integra in door leaf, Inox Anthracite White
KB 3.20*	Microswitch in pull handle, single function, without backlight
KB 3.22	Microswitch activation deactivation button in the pull handle with 2-colour LED backlight Inox Black

* ekey dLine not available for PA10 series pull handles

Hinges

Code	Description
KB 1.34	Colour matched roller hinge
KB 1.35	Concealed hinge




KB 1.34 Colour matched roller hinge



KB 1.35 Concealed hinge





K O B B E

ALUMINIUM DOORS