



Engineering progress
Enhancing lives

The Visage **SLINOVA®** slimline sliding door

www.visageonline.co.uk



REHAU

Visage®



**Modern,
slim, secure
& energy
efficient**

Opening out to a superb panoramic view, flooding the room with light

Outstanding performance
and design for modern,
energy-efficient homes.

The Visage SLINOV[®] creates harmony between interior and exterior with its slim design and extensive glass surface.

Opening in one smooth movement, enter a world where performance and design are one and the same. Offering you more light and comfort, the Visage SLINOV[®] blends into your living space, letting more of the outside in.

Let the light in



The benefits of natural light

- Improves your mental wellbeing
- Helps you sleep better
- Improves your concentration
- Reduces the need for artificial light
- Increases focus and energy levels
- Strengthens the immune system

Visage SLINOVA®: The bright choice Maximise natural light with its large glazing area

The Visage SLINOVA is a slim line sliding door with outstanding stability and strength.



80mm

A discreet 80mm frame depth



Increased airflow and circulation due to larger sliding element



Easy to operate, durable, low maintenance and easy to clean



Makes a room feel more spacious



Allows nature and the outside environment to become part of your home



A colour for all



Colour that lasts

Every Visage SLINOVA door has the option of featuring the same colour finish inside the home, for a custom look.

Your style down to the last detail

Make a statement with the unique Visage SLINOVA® sliding door

Bring in the colour

The Visage SLINOVA sliding door can be customised to your specifications. In addition to providing you with day-to-day comfort, it enhances the architecture of your home. Choose the colour and design that best suits you from the REHAU colour range.

You can vary the styles with different colours and finishes inside and outside the sliding door:

Standard colors:



Black Brown /
Black Brown*



Black Brown /
White



Anthracite Grey /
Anthracite Grey*



Anthracite Grey /
White



Anthracite Grey
(Smooth) /
Anthracite Grey
(Smooth)*



Anthracite Grey
(Smooth) /
White



ALUX DB703 /
ALUX DB703



ALUX DB703 /
White



Rosewood /
White



White /
White

Non-standard colors:



Midnight Black /
Midnight Black*



Midnight Black /
White



Slate Grey
(Smooth) /
White



Golden Oak /
Golden Oak*



Golden Oak /
White



Clotted Cream /
Clotted Cream



Clotted Cream /
White



Simply White /
Simply White



Simply White /
White

Standard - Available from stock. **Non-Standard** - Lead time of 6-8 weeks from place of order.

Due to the printing process, the colours shown are as a guide only and may differ to the physical colour foils.

* Available only on Grey base profile.



A window to your world




More space

Today's new homes offer increasingly smaller rooms. Thanks to its large openings, the Visage SLINOVA gives you the impression of open space, granting you a superb view of the outside.


Bring the outside inside

The Visage SLINOVA® makes the transition from indoors to outdoors much smoother, in a single simple and light movement. Its minimalist design allows for a clear view to your world.


A range of design configurations that adapt to your home




Single moving pane



Two moving panes



Three moving panes



Two moving panes opening from the centre



Style and design

- Flexibility of dual track system allows for a large number of sliding door combinations.
- 2 and 3 pane options opening from either left, right or even from the centre for complete flexibility.
- PAS24 accredited

Peace of mind



Security guaranteed

The Visage SLINOVA® doors are tested to the highest security standard giving you an added level of security to your home and family.

- 1 Specially-designed, discreet hardware makes the locks completely invisible within the sash
- 2 Standard 6-point locking mechanism
- 3 Easy and convenient opening
- 4 Multi-point locking system
- 5 3-star lock cylinder
- 6 Stainless steel hooks for extra security



Stainless steel hook for extra security.



Aluminium anodised keep for enhanced aesthetics.




PAS24 accredited




A choice of durable and resource-efficient windows and doors

We help you to become more environmentally responsible, by offering you high quality products that help protect the environment.




Production

Our partner customers produce EcoPuls labelled profiles, to bring you eco-designed, sustainability-produced products that **save up to 97,000 tonnes of CO₂ per year.**




Manufacturing

REHAU manufactures profiles with the EcoPuls seal of approval in our VinylPlus certified factories, due to their sustainable production processes. Thanks to the co-extrusion process, REHAU combines recycled and virgin raw materials without impairing the performance and usability of the new profile.



Installation

REHAU products with the EcoPuls label are then installed in your home by our network of partners, **save 13 kg of CO₂ in replacement and 17 kg of CO₂ in new construction, per window.**




Collection

Every year, **millions of old PVC windows, doors and production offcuts** are reused in the production of new profiles with the EcoPuls label. For this reason, REHAU maintains an extensive network for the collection of these materials.

Our circular economy

**REHAU
EcoPuls**
Sustainable
Development



Recycling

Collected old windows, doors and production off-cuts are carefully selected and sorted into different raw materials (e.g. glass, PVC and steel) and then recycled. The PVC components are then processed into high quality granules. The production of EcoPuls PVC recycled profiles **saves up to 88% in CO₂ emissions**, compared to the production of a standard profile on the market.



REHAU Group's recycling facilities, include our Polish plant in Śrem, with its own state-of-the-art recycling works, as well as our subsidiaries, PVCR in England and DEKURA in Germany. These locations are responsible for the central collection of used material and its processing into reusable materials. As an industry specialist, DEKURA produces around 40,000 tonnes of material for new PVC windows.



Technical information

The Visage SLINOVA® sliding door

Frame depth	Double frame 80mm, Triple frame 146mm
Sash depth	54mm
Assembly	Welded sash, welded frame or mechanical joint frame only.
Material	REHAU EcoPuls PVC profile, with steel reinforcement according to the system manufacturer's specifications. Sash and frame with a minimum of 40% to 75% recycled PVC, VinylPlus certification.
Seals	The seal between the door frame and the sash is ensured by two circumferential brush seals. The glazing seal in the sash is welded in the corner area.
Maximum glass thickness	32mm
Maximum sash weight	Up to 150kg
Maximum dimensions (WxH)	4m x 2.4m
Wind load resistance	Class B3 in accordance with BS EN 12210
Water resistance	Class 6A in accordance with BS EN 12207
Operating forces	Class 1 in accordance with BS EN 12217
Air permeability	Class 3 in accordance with BS EN 12207
Sound reduction	Up to $R_{w,P} = 33\text{dB}$
Repeated Opening and Closing	Class 50,000 Cycles in accordance with BS 6375-1 Clause 6.5





Follow us
[visageonline](#)



Find us
[VisageOnlineUK](#)



Email: sales@visageonline.co.uk
www.visageonline.co.uk

Visage[®]

Due to variations in the photographic process, colours shown in this leaflet may vary from the actual product. It is advisable to refer to a product sample before making your purchase. All pictures shown are for illustrative purpose only, actual product may vary due to product enhancement. The company has a policy of continuous product development and reserves the right to change any products and specifications given in this brochure.

Shepley House
Outram Road
Dukinfield
SK16 4XE